

SHEET  
1  
OF  
2

**MONUMENT RECORD**  
 CORNER ID:  
**BLM\_A13**

**Section Corner**  
 Sections 18 & 19 - T09N-R01W  
 Bloomington Township  
 Monroe County, Indiana



**MONROE COUNTY SURVEYOR'S OFFICE**  
 Trohn Enright-Randolph Monroe County Surveyor  
 Rachel Savich Oser Professional Surveyor  
 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570



BLM\_A13 (Photo Date: 10/12/2016)



BLM\_A13 (Photo Date: 10/12/2016)

**Origin:** The origin of this monument is unknown.

**History:** This corner was perpetuated in August of 1883 by the Monroe County Surveyor, George Rader (Monroe County Survey Book 2, page 388, index letter A). The rebar was witnessed by the Monroe County Surveyor's Office on September 8, 1997, and was later accepted by the Monroe County Surveyor Review Board. In 2003, C.D. Graham found and accepted a monument at this corner per the Victor Settle Minor Subdivision recorded in Plat Cabinet C, envelope 326. The monument was also accepted by Ben Bledsoe in 2005 (Survey Cabinet S1, envelope 267) and Bernard Guerrettaz in 2009 (Inst. No.2011017395, Survey Cabinet 2, Envelope 53).

I did not research the full history of this monument because this corner was not necessary for the establishment of any corners in Section 24-T09N-R02W. It is shown hereon for reference and will be further evaluated when Sections 18 and 19 -T9N-R1W are perpetuated. I did not look for the stone witness that is shown on the 1883 legal survey as N 8° E 16.5 links from the corner. The witness would fall near a north/south stone wall along the west side of Shelburne Drive.




*Trohn Enright-Randolph*  
Trohn Enright-Randolph  
Monroe County Surveyor



Accepted by the Monroe  
County Surveyor Review Board  
on November 21, 2017




*Rachel Oser*  
Rachel Savich Oser, State of Indiana  
Professional Surveyor No. 21100022

SHEET 2 OF 2	<b>MONUMENT RECORD</b> CORNER ID: <b>BLM_A13</b>	<b>Section Corner</b> Sections 18 & 19 - T09N-R01W Bloomington Township Monroe County, Indiana	 <b>MONROE COUNTY SURVEYOR'S OFFICE</b> Trohn Enright-Randolph <i>Monroe County Surveyor</i> Rachel Savich Oser <i>Professional Surveyor</i> 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570
-----------------------	--------------------------------------------------------	---------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

MONUMENT RECORD

STATE OF INDIANA ~ COUNTY OF MONROE

Section 19, Township 9 North, Range 1 West,Monument Description & Remarks: 5/8" Rebar Found In ConcreteCOMPLETED By Sh U. Fatus

I, Ben E. Bledsoe, Registered Land Surveyor, here by certify that this document was prepared under my direction in accordance with the provisions of Section 17-3-64-4 through 17-3-64-8 of the Indiana Code, being Acts of 1965, Chapter 319; this 27th day of December, 2004 A.D.

*Ben E Bledsoe*  
 Indiana Registered Land Surveyor No. S0559



# MONUMENT RECORD

Corner I.D. #

BLM


A - 13

STATE OF INDIANA - COUNTY OF MONROE


Section 19, Township 9 NORTH, Range 1 WEST

Monument Description & Remarks: 5/8" R/B IN CONCRETE BASE MARKING THE  
NORTHWEST CORNER OF SECTION 19

## Recovery Tie Drawing



- A. 5/8" R/B IN CONCRETE BASE
- B. PK NAIL IN 6" x 6" TREATED POST FOR  
SHELburne WOODS SIGN N 29°E, DIST 1.82'
- C. MAG IN 12" UTILITY POLE S 88°E, DIST 47.28'
- D. MAG IN 11" UTILITY POLE S 27°E, DIST 88.55'
- E. 1/2" R/B PAINTED & FLAGGED S 88°E, DIST 50.16'
- F. MAGNAIL & SHINER IN 2 PRONGED  
14" ASH TREE S 60°W, DIST 27.9'



● At Corner



Not To Scale

State of Indiana  
 County of MONROE

Space  
 Reserved For  
 Recording  
 Officer

I, STEVE V. FARKAS, hereby certify  
 that this document was prepared under my direction in  
 accordance with the provisions of Section 17-3-64-4  
 through 17-3-64-8 of the Indiana Code, being Acts of 1965,  
 Chapter 319; and the above data is given under my hand and  
 seal this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_ A.D.

Indiana Registered Land Surveyor No. \_\_\_\_\_ or

United States Government Agency \_\_\_\_\_

Title \_\_\_\_\_

Field Book:

Page:

# MONUMENT RECORD

State of Indiana - County of Monroe

Section: 19

Township: 9 North

Range: 1 West


Corner ID: Blm A-13

**Monument Description & Remarks:** Found 5/8" Rebar set in concrete base measuring approximately 1.0' round at NW corner of section. Rebar measured 0.1' out of ground.

## RECOVERY TIE DRAWING

Field Book 97-03 Page No. 24

USGS Bloomington Quad




- A - 5/8" Rebar in concrete base
- B - North 29 degrees East, 1.82' from corner  
PK nail in 6" x 6" treated post  
(west corner post of "Shelburne Woods" sign)  
Survey marker sign set 3' up
- C - South 88 degrees East, 47.28' from corner  
PK nail in 12" utility pole
- D - South 27 degrees East, 88.55' from corner  
PK nail in 11" utility pole
- E - South 88 degrees East, 50.16' from corner  
1/2" rebar, painted and flagged

Not To Scale

Compass Bearing Magnetic North

I, Kevin P. Enright, Monroe County Surveyor, hereby certify that this document was prepared under my direction in accordance with the provisions of Section 36-2-12-0 of the Indiana Code; and the above data is given under my hand and seal this 8th day of September, 1997.



Administered by Surveyor

Review Board

Indiana R.L.S. No. n/a